



## BS 5682 socket

### Product description

The socket is the final part of the compressed gas distribution system. The user can plug a probe into the socket to use the gas. The socket is gas-specific and various profiles are available depending on the gas being used so it is impossible to swap sockets and probes. The socket is BS 5682 standard compliant. All materials are oxygen compatible, supplied clean and free of any traces of oil, grease or dust.

### Normatives

UNI EN ISO 9170-1:2008 | UNI EN ISO 9001:2008 | UNI EN ISO 9170-2:2008 | UNI CEI EN ISO 13485:2004 | BS 5682 | UNI EN ISO 15001:2012

### Components

Socket and base made of CW614N chemically nickel-plated brass.  
 ABS release ring nut and base connecting flange.  
 Stainless steel springs.  
 VITON O-Ring for O2, NBR O-ring for other gases.

### Product codes

GAS	CODE
OXYGEN	HP050
AIR 400	HP051
NITROUS OXIDE	HP052
VAC	HP053
AIR 700	HP054

## Technical data

CODE	GAS
HP050	OXYGEN
HP051	AIR 400
HP052	NITROUS OXIDE
HP053	VAC
HP054	AIR 700

**Behringer S.r.l.** via Gualco 4, 16165 Genova ITALY

**T** +39 010 8309103 **F** +39 010 8309183 **e-mail** info@behringer.it **C.F. e P.I.** 01167840998